



NEXT STATE

You Will Need


50cm of fabric by 140cm for a main and a lining.
 Depending on how you choose to finish the hat inside you can get a 1m length (you won't use all of it) of a 20mm binding.
 For the outer main of the hat use a woven non stretch fabric between 250-330gsm.



Bucket Hat
 Level: Easy
 Print at 1:1 Scale
 A3 Paper

This square should measure 5x5cm as a scale print guide


1cm seam allowance



NEXT STATE

1. Cut all the pattern pieces out, using a pencil mark the notches for sewing guides and fuse the main fabric for the brim. The heavier the fusing the stiffer the brim
2. Sew the side seams of the brim together for the main and lining to form a nearly circle.
3. Sew the outside edge of the brim main and lining together, turn through and press. Stay stitch the two open edges together.
4. Sew the side walls of the hat together, for both the main and the lining.
5. Using the notches as a balancing guide sew the hat Crown into the side walls. Edge stitch the crown seams to the side wall
6. Sew the outside of the hat wall and crown to the brim
7. Finishing
 - a. You can sew the lining of the hat wall to the brim and then cover the seam in bias binding as done in this example.
 - b. You can press a 8mm hem on the open brim side of the hat wall, so it is a little bit longer than the outside of the hat and either hand blind stitch it to the brim hiding the seam on the inside. Or you can very carefully top stitch the lining to the brim.

1



2



2



3



3



3



3



4



5



5



5



6



6



6



NEXT STATE